

according to 29 CFR 1910.1200(g)

### **RS VIVO C&B Ultimate**

Revision date: 03/26/2025 Product code: RS0062XX Page 1 of 10

### 1. Identification

### **Product identifier**

RS VIVO C&B Ultimate

#### Further trade names

RS VIVO C&B Ultimate, A1; 500 g: RS006202
RS VIVO C&B Ultimate, A2; 500 g: RS006203
RS VIVO C&B Ultimate, A3; 500 g: RS006204
RS VIVO C&B Ultimate, B1; 500 g: RS006206
RS VIVO C&B Ultimate, Bleach; 500 g: RS006205

### Recommended use of the chemical and restrictions on use

### Use of the substance/mixture

Light curing resin for generative manufacturing of anterior and posterior restorations.

# Details of the supplier of the safety data sheet

#### Manufacturer

Company name: DeltaMed GmbH
Street: Raiffeisenstraße 8a
Place: 61169 Friedberg (GER)

Telephone: +49 6031 7283-0 Telefax: +49 6031 7283-29

E-mail: info@deltamed.de
E-mail (Contact person): info@deltamed.de
Internet: www.deltamed.de

Responsible Department: F&E

Telefax +49 6031 7283-29

**Supplier** 

Company name: Rapid Shape GmbH Street: Römerstrasse 21 Place: 71296 Heimsheim

Telephone: +49 (0) 7033/309878-0 Telefax: +49 (0) 7033/309878-40

E-mail (Contact person): info@rapidshape.de Internet: http://rapidshape.de

Emergency phone number: Giftinformationszentrum Universitätsklinikum Mainz

Telefon +49 6131 19240

## 2. Hazard(s) identification

# Classification of the chemical

## 29 CFR Part 1910.1200

Reproductive toxicity: Repr. 1B

Respiratory or skin sensitization: Skin Sens. 1

### Label elements

# 29 CFR Part 1910.1200

Signal word: Danger

Pictograms:





#### **Hazard statements**

May cause an allergic skin reaction





according to 29 CFR 1910.1200(g)

# **RS VIVO C&B Ultimate**

Revision date: 03/26/2025 Product code: RS0062XX Page 2 of 10

May damage fertility or the unborn child

### **Precautionary statements**

Obtain special instructions before use.

Avoid breathing dust/vapours/spray.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection.

If on skin: Wash with plenty of water and soap.

If exposed or concerned: Get medical advice/attention.

Dispose of contents/container in accordance with local regulation.

#### Hazards not otherwise classified

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

### 3. Composition/information on ingredients

### **Mixtures**

### **Chemical characterization**

Mixture of acrylic resins, fillers and initiators.

### Relevant ingredients

CAS No	Components	Quantity
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)	* 20 - 40 %
72869-86-4	urethane dimethacrylate (UDMA)	* < 30 %
84170-74-1	Neopentyl glycol propoxylate diacrylate (NPGPODA)	* < 25 %
1303-86-2	Diboron trioxide (B2O3)	* < 10 %
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide	* < 1 %
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)	* < 1 %

#### **Further Information**

# 4. First-aid measures

### **Description of first aid measures**

#### **General information**

Get medical advice/attention if you feel unwell. Immediately remove any contaminated clothing, shoes or stockings.

### After inhalation

Get medical advice/attention if you feel unwell. Provide fresh air.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. If skin irritation occurs: Get medical advice/attention.

# After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. If eye irritation persists: Get medical advice/attention.

### After ingestion

Do NOT induce vomiting. Medical treatment necessary.

## Most important symptoms and effects, both acute and delayed

No information available.

# Indication of any immediate medical attention and special treatment needed

<sup>\*</sup> The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.



DeltaMed GmbH

according to 29 CFR 1910.1200(g)

### **RS VIVO C&B Ultimate**

Revision date: 03/26/2025 Product code: RS0062XX Page 3 of 10

Treat symptomatically.

# 5. Fire-fighting measures

#### Extinguishing media

### Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide.

#### Unsuitable extinguishing media

Full water jet

#### Specific hazards arising from the chemical

In case of fire may be liberated: Carbon monoxide, Carbon dioxide, Hazardous decomposition products.

### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## **Environmental precautions**

Do not allow to enter into surface water or drains.

### Methods and material for containment and cleaning up

## Other information

Larger quantities: Take up mechanically (by pumping). Smaller quantities and/or residues: Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

### 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Do not breathe gas/fume/vapor/spray.

Provide fresh air.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

# Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

# Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Protect from the action of light. Keep only in the original container at a temperature between 4-25 °C (40-77 °F). Can polymerize with intense heat release.



according to 29 CFR 1910.1200(g)

### **RS VIVO C&B Ultimate**

Revision date: 03/26/2025 Product code: RS0062XX Page 4 of 10

#### Hints on joint storage

No special measures are necessary.

### 8. Exposure controls/personal protection

### **Control parameters**

#### **Exposure limits**

CAS No	Substance	ppm	mg/m³	Category	Origin
1303-86-2	Boron oxide Total dust	-	15	TWA (8 h)	PEL
1303-86-2	Boron oxide	-	10	TWA (8 h)	REL

## **Exposure controls**

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Eye glasses with side protection

### **Hand protection**

Gloves should be replaced regularly, especially after extended contact with the product. For each work-place a suitable glove type has to be selected.

#### Skin protection

Wear suitable protective clothing.

# 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state: viscous

Color: various, depending on coloration

Odor: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

> 100 °C

boiling range:

Flammability: flammable liquids Lower explosion limits: not determined Upper explosion limits: not determined Flash point: > 100 °C not determined Auto-ignition temperature: Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapor pressure:

Density:

Relative vapour density:

Particle characteristics:

not determined
not determined
not determined
not determined
not determined
not applicable

### Other information

### Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable
Gas: not applicable



DeltaMed GmbH

according to 29 CFR 1910.1200(g)

**RS VIVO C&B Ultimate** 

Revision date: 03/26/2025 Product code: RS0062XX Page 5 of 10

### Other safety characteristics

Evaporation rate: not determined Solid content: not determined

### **Further Information**

Product has not been tested. The statement is derived from the properties of the components.

# 10. Stability and reactivity

### Reactivity

No hazardous reaction when handled and stored according to provisions.

## **Chemical stability**

Stability: Stable

The product is stable under storage at normal ambient temperatures.

### Possibility of hazardous reactions

Hazardous reactions: Will not occur

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

### Conditions to avoid

Protect from the action of light. Keep only in the original container at a temperature between 4 - 25 °C (40 - 77 °F). Can polymerize with intense heat release.

### Incompatible materials

Oxidising agent, Reducing agent, Heavy metals, Acids, Alkali (lye).

### **Hazardous decomposition products**

No known hazardous decomposition products.

## 11. Toxicological information

## Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix calculated**

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l



according to 29 CFR 1910.1200(g)

# **RS VIVO C&B Ultimate**

Revision date: 03/26/2025 Product code: RS0062XX Page 6 of 10

CAS No	Components							
	Exposure route	Dose	Species	Source	Method			
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)							
	oral	LD50 > 200 mg/kg	0 Rat	OECD 423				
	dermal	LD50 > 200 mg/kg	0 Rat	OECD 402				
72869-86-4	urethane dimethacrylate (UDMA)							
	oral	LD50 >5000 mg/kg	) Rat	OECD 401				
	dermal	LD50 >2000 mg/kg	) Rat	OECD 402				
	inhalation (4 h) dust/mist	LC50 >5 mg	g/l					
84170-74-1	Neopentyl glycol propoxylate diacrylate (NPGPODA)							
	oral	LD50 > 500 mg/kg	0 Rat					
	dermal	LD50 > 200 mg/kg	0 Rabbit					
1303-86-2	Diboron trioxide (B2O3)							
	oral	LD50 3163 mg/kg	Mice	GESTIS				
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide							
	oral	LD50 >2000 mg/kg	) Rat					
	dermal	LD50 >2000 mg/kg	) Rat					
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)							
	oral	LD50 > 500 mg/kg	0 Rat	ECHA	OECD 401			
	dermal	LD50 >2000 mg/kg	) Rat	ECHA				

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitizing effects

May cause an allergic skin reaction (Tricyclodecan dimethanol diacrylate (TCDDMDA); urethane dimethacrylate (UDMA); Neopentyl glycol propoxylate diacrylate (NPGPODA); phenyl

bis(2,4,6-trimethylbenzoyl)phosphine oxide; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO))

May cause sensitization by skin contact.

# Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility or the unborn child (Diboron trioxide (B2O3))

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

# Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

# Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed. Carcinogenicity (IARC): No ingredient of this mixture is listed.



according to 29 CFR 1910.1200(g)

# **RS VIVO C&B Ultimate**

Revision date: 03/26/2025 Product code: RS0062XX Page 7 of 10

Carcinogenicity (NTP):

No ingredient of this mixture is listed.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Further information

The product has not been tested. The statement is derived from the properties of the single components.

# 12. Ecological information

# **Ecotoxicity**

CAS No	Components						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
42594-17-2	-2 Tricyclodecan dimethanol diacrylate (TCDDMDA)						
	Acute fish toxicity	LC50 mg/l	1,65	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50	1,6 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	2,36	48 h	Daphnia magna (Big water flea)	OECD 202	
72869-86-4	urethane dimethacrylate (	UDMA)					
	Acute fish toxicity	LC50 mg/l	10,1	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>0,68	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	Daphnia magna (Big water flea)		
84170-74-1	Neopentyl glycol propoxy	ate diacrylat	e (NPGPOD	)A)			
	Acute fish toxicity	LC50	2,7 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50	3,4 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50	37 mg/l	48 h	Daphnia magna (Big water flea)		
1303-86-2	03-86-2 Diboron trioxide (B2O3)						
	Acute crustacea toxicity	EC50 490 mg/l	370 -	48 h	Daphnia Magna	IUCLID	
162881-26-7	81-26-7 phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide						
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)						
	Acute fish toxicity	LC50	1,4 mg/l	96 h	Cyprinus carpio (Common Carp)	ECHA	OECD 203
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Daphnia magna (Big water flea)	ECHA	OECD 201
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)	ECHA	OECD 202
	Acute bacteria toxicity	EC50 mg/l ( )	>1000	3 h	Activated sludge	ECHA	OECD 209

# Persistence and degradability



according to 29 CFR 1910.1200(g)

## **RS VIVO C&B Ultimate**

Revision date: 03/26/2025 Product code: RS0062XX Page 8 of 10

The product has not been tested.

#### **Bioaccumulative potential**

The product has not been tested.

#### BCF

CAS No	Components	BCF	Species	Source
	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide (TPO)	47-55		

#### Mobility in soil

The product has not been tested.

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### Other adverse effects

No information available.

#### **Further information**

Do not allow uncontrolled discharge of product into the environment. Do not allow to enter into surface water or drains.

# 13. Disposal considerations

#### Waste treatment methods

## **Disposal recommendations**

Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities. Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

### 14. Transport information

## U.S. DOT 49 CFR 172.101

UN number or ID number: UN 3082

<u>Proper shipping name:</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(ACRYLIC RESIN)

Transport hazard class(es): 9
Packing group: III
Hazard label: 9

Special Provisions: 8, 146, 173, 335, 441, IB3, T4, TP1, TP29

Limited quantity: No limit

Marine transport (IMDG)

UN 3082

<u>UN proper shipping name:</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(ACRYLIC RESIN)

Transport hazard class(es):9Packing group:IIIHazard label:9

Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

## Air transport (ICAO-TI/IATA-DGR)



according to 29 CFR 1910.1200(g)

**RS VIVO C&B Ultimate** 

Revision date: 03/26/2025 Product code: RS0062XX Page 9 of 10

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(ACRYLIC RESIN)

Transport hazard class(es):

Packing group:
Hazard label:

9

9

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A97 A158 A197

30 kg G

Y964

Excepted quantity:

E1

IATA-packing instructions - Passenger:964IATA-max. quantity - Passenger:450 LIATA-packing instructions - Cargo:964IATA-max. quantity - Cargo:450 L

### Other applicable information (air transport)

A 197: These substances are not subject to other provisions of these Regulations when carried in single or combination packagings with a net quantity per single or inner packaging not exceeding 5 L for liquids and a net weight not exceeding 5kg for substances, provided the packagings meet the general requirements of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

#### **Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: ACRYLIC RESIN

## Special precautions for user

No information available.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## 15. Regulatory information

## **U.S. Regulations**

### **National Inventory TSCA**

All components of this product are included on the TSCA Chemical Inventory or are not required to be listed on the TSCA Chemical Inventory.

# **National regulatory information**

SARA Section 311/312 Hazards:

Tricyclodecan dimethanol diacrylate (TCDDMDA) (42594-17-2): Immediate (acute) health hazard urethane dimethacrylate (UDMA) (72869-86-4): Immediate (acute) health hazard Neopentyl glycol propoxylate diacrylate (NPGPODA) (84170-74-1): Immediate (acute) health hazard phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide (162881-26-7): Immediate (acute) health hazard diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO) (75980-60-8): Immediate (acute) health hazard

### **State Regulations**

#### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

### 16. Other information

### Hazardous Materials Identification System (HMIS)

Health: 1
Flammability: 1
Physical Hazard: 0



according to 29 CFR 1910.1200(g)

	RS VIVO C&B Ultimate	
Revision date: 03/26/2025	Product code: RS0062XX	Page 10 of 10

### **NFPA Hazard Ratings**

Health: 1 Flammability: 1 Reactivity: 0

Unique Hazard:

Revision date: 03/26/2025

Revision No: 1,0

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)