

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

RS VIVO C&B Ultimate

Further trade names

RS VIVO C&B Ultimate, A1; 500 g: RS006202
 RS VIVO C&B Ultimate, A2; 500 g: RS006203
 RS VIVO C&B Ultimate, A3; 500 g: RS006204
 RS VIVO C&B Ultimate, B1; 500 g: RS006206
 RS VIVO C&B Ultimate, Bleach; 500 g: RS006205

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Light curing resin for generative manufacturing of anterior and posterior restorations.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: DeltaMed GmbH
 Street: Raiffeisenstraße 8a
 Place: 61169 Friedberg (GER)
 Telephone: +49 6031 7283-0 Telefax: +49 6031 7283-29
 E-mail: info@deltamed.de
 Contact person: Research and Development
 Department
 E-mail: info@deltamed.de
 Internet: www.deltamed.de
 Responsible Department: F&E
 Telefax +49 6031 7283-29

Supplier

Company name: Rapid Shape GmbH
 Street: Römerstrasse 21
 Place: 71296 Heimsheim
 Telephone: +49 (0) 7033/309878-0 Telefax: +49 (0) 7033/309878-40
 E-mail (Contact person): info@rapidshape.de
 Internet: http://rapidshape.de

1.4. Emergency telephone number:

Giftinformationszentrum Universitätsklinikum Mainz
 Telefon +49 6131 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Repr. 1B; H360FD
 Skin Sens. 1; H317
 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 2 of 13

Hazard components for labelling

Tricyclodecan dimethanol diacrylate (TCDDMDA)
urethane dimethacrylate (UDMA)
Neopentyl glycol propoxylate diacrylate (NPGPODA)
Diboron trioxide (B₂O₃)
phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)

Signal word: Danger

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.
H360FD May damage fertility. May damage the unborn child.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.
P261 Avoid breathing dust/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water and soap.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local regulation.

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of acrylic resins, fillers and initiators.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 3 of 13

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)			20 - 40 %
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			
72869-86-4	urethane dimethacrylate (UDMA)			< 30 %
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			
84170-74-1	Neopentyl glycol propoxylate diacrylate (NPGPODA)			< 25 %
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			
1303-86-2	Diboron trioxide (B2O3)			< 10 %
	215-125-8	005-008-00-8		
	Repr. 1B; H360FD			
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide			< 1 %
	423-340-5	015-189-00-5		
	Skin Sens. 1A, Aquatic Chronic 4; H317 H413			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)			< 1 %
	278-355-8			
	Repr. 2, Skin Sens. 1B, Aquatic Chronic 2; H361f H317 H411			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
42594-17-2		Tricyclodecan dimethanol diacrylate (TCDDMDA)	20 - 40 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
72869-86-4		urethane dimethacrylate (UDMA)	< 30 %
		inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
84170-74-1		Neopentyl glycol propoxylate diacrylate (NPGPODA)	< 25 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
1303-86-2	215-125-8	Diboron trioxide (B2O3)	< 10 %
		oral: LD50 = 3163 mg/kg	
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide	< 1 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)	< 1 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = > 5000 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Get medical advice/attention if you feel unwell. Immediately remove any contaminated clothing, shoes or stockings.

After inhalation

Get medical advice/attention if you feel unwell. Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. If skin irritation occurs: Get medical advice/attention.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 4 of 13

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. If eye irritation persists:
Get medical advice/attention.

After ingestion

Do NOT induce vomiting. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide, Hazardous decomposition products.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.
Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Larger quantities: Take up mechanically (by pumping). Smaller quantities and/or residues: Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe gas/fumes/vapour/spray.
Provide fresh air.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 5 of 13

Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can polymerize with intense heat release.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
72869-86-4	urethane dimethacrylate (UDMA)			
Worker DNEL, long-term		dermal	systemic	1,3 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	3,3 mg/m³
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)			
Worker DNEL, long-term		dermal	systemic	0,233 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,145 mg/m³
Consumer DNEL, long-term		oral	systemic	0,0833 mg/kg bw/day

PNEC values

CAS No	Name of agent	
Environmental compartment	Value	
72869-86-4	urethane dimethacrylate (UDMA)	
Freshwater	0,01 mg/l	
Marine water	0,001 mg/l	
Freshwater sediment	4,56 mg/kg	
Marine sediment	0,46 mg/kg	
Micro-organisms in sewage treatment plants (STP)	3,61 mg/l	
Soil	0,91 mg/kg	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)	
Marine water	0,00014 mg/l	
Freshwater sediment	0,115 mg/kg	
Marine sediment	0,0115 mg/kg	
Soil	0,0222 mg/kg	

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection

Hand protection

Gloves should be replaced regularly, especially after extended contact with the product. For each work-place a

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 6 of 13

suitable glove type has to be selected.

Skin protection

Wear suitable protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	viscous
Colour:	various, depending on coloration
Odour:	No data available
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	> 100 °C
Flammability:	flammable liquids
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 100 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	not determined
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2. Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid:	not applicable
Gas:	not applicable

Other safety characteristics

Evaporation rate:	not determined
Solid content:	not determined

Further Information

Product has not been tested. The statement is derived from the properties of the components.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

10.4. Conditions to avoid

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 7 of 13

polymerize with intense heat release.

10.5. Incompatible materials

Oxidising agent, Reducing agent, Heavy metals, Acids, Alkali (lye).

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)				
	oral	LD50 > 2000 mg/kg	Rat	OECD 423	
	dermal	LD50 > 2000 mg/kg	Rat	OECD 402	
72869-86-4	urethane dimethacrylate (UDMA)				
	oral	LD50 >5000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rat	OECD 402	
	inhalation (4 h) dust/mist	LC50 >5 mg/l			
84170-74-1	Neopentyl glycol propoxylate diacrylate (NPGPODA)				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rabbit		
1303-86-2	Diboron trioxide (B2O3)				
	oral	LD50 3163 mg/kg	Mice	GESTIS	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide				
	oral	LD50 >2000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rat		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 >2000 mg/kg	Rat	ECHA	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 8 of 13

Sensitising effects

May cause an allergic skin reaction. (Tricyclodecan dimethanol diacrylate (TCDDMDA); urethane dimethacrylate (UDMA); Neopentyl glycol propoxylate diacrylate (NPGPODA); phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO))
May cause sensitization by skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility. May damage the unborn child. (Diboron trioxide (B₂O₃))
Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Further information

The product has not been tested. The statement is derived from the properties of the single components.

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 9 of 13

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)					
	Acute fish toxicity	LC50 1,65 mg/l	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 1,6 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 2,36 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
72869-86-4	urethane dimethacrylate (UDMA)					
	Acute fish toxicity	LC50 10,1 mg/l	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 >0,68 mg/l	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 >1,2 mg/l	48 h	Daphnia magna (Big water flea)		
84170-74-1	Neopentyl glycol propoxylate diacrylate (NPGPODA)					
	Acute fish toxicity	LC50 2,7 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 3,4 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 37 mg/l	48 h	Daphnia magna (Big water flea)		
1303-86-2	Diboron trioxide (B2O3)					
	Acute crustacea toxicity	EC50 370 - 490 mg/l	48 h	Daphnia Magna	IUCLID	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide					
	Acute fish toxicity	LC50 >0,09 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 >0,26 mg/l	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 >1,175 mg/l	48 h	Daphnia magna (Big water flea)		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)					
	Acute fish toxicity	LC50 1,4 mg/l	96 h	Cyprinus carpio (Common Carp)	ECHA	OECD 203
	Acute algae toxicity	ErC50 >2,01 mg/l	72 h	Daphnia magna (Big water flea)	ECHA	OECD 201
	Acute crustacea toxicity	EC50 3,53 mg/l	48 h	Daphnia magna (Big water flea)	ECHA	OECD 202
	Acute bacteria toxicity	EC50 >1000 mg/l ()	3 h	Activated sludge	ECHA	OECD 209

12.2. Persistence and degradability

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 10 of 13

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)			
	OECD 301 F	27 %	56	
	Not readily biodegradable (according to OECD criteria)			
72869-86-4	urethane dimethacrylate (UDMA)			
	Biodegradation	22 %	28	OECD 301 F
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)phosphine oxide			
	OECD 301B	1 %	28	
	Not readily biodegradable (according to OECD criteria)			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)			
	OECD 301 F	0-10 %	28	
	Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

The product has not been tested.

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)	47-55		

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow uncontrolled discharge of product into the environment. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities. Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

List of Wastes Code - used product

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

List of Wastes Code - contaminated packaging

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 11 of 13

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	E

Other applicable information (land transport)

SV 375: These substances, when carried in single or combination packagings of a net quantity not exceeding 5 litres of liquids or a net mass not exceeding 5 kg of solids per single or combination packaging, are not subject to the other provisions of ADR, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
14.3. Transport hazard class(es):	9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 12 of 13

14.4. Packing group:

Hazard label:	III	
Special Provisions:	9	
Limited quantity Passenger:	A97 A158 A197	
Passenger LQ:	30 kg G	
Excepted quantity:	Y964	
IATA-packing instructions - Passenger:	E1	964
IATA-max. quantity - Passenger:		450 L
IATA-packing instructions - Cargo:		964
IATA-max. quantity - Cargo:		450 L

Other applicable information (air transport)

A 197: These substances are not subject to other provisions of these Regulations when carried in single or combination packagings with a net quantity per single or inner packaging not exceeding 5 L for liquids and a net weight not exceeding 5kg for substances, provided the packagings meet the general requirements of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	ACRYLIC RESIN

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

Diboron trioxide (B₂O₃); diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

National regulatory information

Water hazard class (D):	2 - obviously hazardous to water
-------------------------	----------------------------------

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

RS VIVO C&B Ultimate

Revision date: 26.03.2025

Product code: RS0062XX

Page 13 of 13

Abbreviations and acronyms

Skin Sens: Skin sensitisation
 Repr: Reproductive toxicity
 Aquatic Chronic: Chronic aquatic hazard
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Repr. 1B; H360FD	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.
 H360FD May damage fertility. May damage the unborn child.
 H361f Suspected of damaging fertility.
 H411 Toxic to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)