

according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

RS VIVO Splint Hard

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: DETAX GmbH
Street: Carl-Zeiss-Straße 4
Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

E-mail: post@detax.com Internet: www.detax.com

Responsible Department: This number is only obtainable during office hours

(Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

Importer/Distributor

Company name: Rapid Shape GmbH
Street: Römerstraße 21
Place: D-71296 Heimsheim
Telephone: +49 (0) 7033/309878-0

Telefax: +49 (0) 7033/309878-40

E-mail: info@rapidshape.de Internet: http://rapidshape.de

1.4. Emergency telephone +1-800-424-9300 (CHEMTREC worldwide)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (Octahydro-4,7-methano-1H-indenyl)methyl acrylate

Hydroxy propyl methacrylate 2-hydroxyethyl methacrylate

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Signal word: Warning

Pictograms:







according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 2 of 12

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with local and national regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification (Regulation (EC) No	ification (Regulation (EC) No 1272/2008)					
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo	o-3,14-dioxa-5,12-diazahexadecane	-1,16-diyl bismethacrylate	40 - < 60 %			
	276-957-5		01-2120751202-68				
	Skin Sens. 1B, Aquatic Chronic 2;	H317 H411					
7534-94-3	Exo-1,7,7-trimethylbicyclo[2.2.1]he	pt-2-yl methacrylate		5 - < 20 %			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE	3, Aquatic Chronic 3; H315 H319 H	335 H412				
127823-21-6	127823-21-6 (Octahydro-4,7-methano-1H-indenyl)methyl acrylate						
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. H411	1B, STOT SE 3, Aquatic Chronic 2	; H315 H319 H317 H335				
27813-02-1	Hydroxy propyl methacrylate		5 - < 20 %				
	248-666-3		01-2119490226-37				
	Eye Irrit. 2, Skin Sens. 1; H319 H3						
868-77-9	2-hydroxyethyl methacrylate			0.1 - < 5 %			
	212-782-2	607-124-00-X	01-2119490169-29				
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.						
84434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoy	0.1 - < 5 %					
	282-810-6		01-2119987994-10				
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411						

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 3 of 12

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc	Limits, M-factors and ATE				
72869-86-4	276-957-5	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	40 - < 60 %			
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg				
7534-94-3		Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	5 - < 20 %			
	dermal: LD50	= >3000 mg/kg; oral: LD50 = >2000 mg/kg				
127823-21-6		(Octahydro-4,7-methano-1H-indenyl)methyl acrylate	5 - < 20 %			
	oral: LD50 = 2000 mg/kg					
27813-02-1	248-666-3	Hydroxy propyl methacrylate	5 - < 20 %			
	dermal: LD50	= >5000 mg/kg; oral: LD50 = >2000 mg/kg				
868-77-9	212-782-2	2-hydroxyethyl methacrylate	0.1 - < 5 %			
	dermal: LD50	= >5000 mg/kg; oral: LD50 = 5564 mg/kg				
84434-11-7	282-810-6	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	0.1 - < 5 %			
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg				

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures





according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 4 of 12

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

7.3. Specific end use(s)

For use by trained specialist personnel.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Butyl caoutchouc (butyl rubber)



according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 5 of 12

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid: Colour: clear

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not applicable

not applicable

Lower explosion limits: not determined Upper explosion limits: not determined

Flash point: >100 °C DIN 51755

Auto-ignition temperature: not determined

Decomposition temperature: >=190 °C

pH-Value: not determined

Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,09 g/cm³ DIN 51757

Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.



according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 6 of 12

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate							
	oral	LD50 > mg/kg	- 5000	Rat	OECD 401				
	dermal	LD50 > mg/kg	2000	Rat	OECD 402				
7534-94-3	Exo-1,7,7-trimethylbicyclo	[2.2.1]hept-2-y	yl methacry	ylate					
	oral	LD50 > mg/kg	2000	Rat	MSDS				
	dermal	LD50 > mg/kg	3000	Rabbit	MSDS				
127823-21-6	6 (Octahydro-4,7-methano-1H-indenyl)methyl acrylate								
	oral	LD50 2 mg/kg	2000	Rat		OECD 423			
27813-02-1	Hydroxy propyl methacryl	Hydroxy propyl methacrylate							
	oral	LD50 > mg/kg	2000	Rat	OECD 401				
	dermal	LD50 > mg/kg	>5000	Rabbit					
868-77-9	2-hydroxyethyl methacrylate								
	oral	LD50 5 mg/kg	5564	Rat					
	dermal	LD50 > mg/kg	>5000	Rabbit					
84434-11-7	Ethyl phenyl(2,4,6-trimeth	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate							
	oral	LD50 > mg/kg	>5000	Rat		OECD 401			
	dermal	LD50 > mg/kg	2000	Rat					

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate;

(Octahydro-4,7-methano-1H-indenyl)methyl acrylate; Hydroxy propyl methacrylate; 2-hydroxyethyl

methacrylate; Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate)

Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 7 of 12

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate								
	Acute fish toxicity	LC50 mg/l	10,1	96 h			OECD 203		
	Acute algae toxicity	ErC50 mg/l	0,21	72 h			OECD 201		
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	Daphnia magna (Big water flea)	OECD 202			
7534-94-3	Exo-1,7,7-trimethylbicyclo	[2.2.1]hept	-2-yl methacr	ylate					
	Acute fish toxicity	LC50 mg/l	1,79	96 h		MSDS	OECD 203		
	Acute crustacea toxicity	EC50 mg/l	>2,57	48 h	Daphnia magna	MSDS	OECD 202		
127823-21-6	(Octahydro-4,7-methano-1H-indenyl)methyl acrylate								
	Acute fish toxicity	LC50	1,8 mg/l	96 h	Danio rerio (zebrafish)		OECD 203		
	Acute algae toxicity	ErC50 mg/l	1,15	72 h	Pseudokirchneriella subcapitata		OECD 201		
	Acute crustacea toxicity	EC50 mg/l	2,64	48 h	Daphnia magna (Big water flea)		OECD 202		
27813-02-1	Hydroxy propyl methacrylate								
	Acute fish toxicity	LC50	493 mg/l	96 h	Leuciscus idus (golden orfe)				
	Acute algae toxicity	ErC50 mg/l	>97,2	72 h	Pseudokirchneriella subcapitata	OECD 201			
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202			
868-77-9	2-hydroxyethyl methacrylate								
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oryzias latipes		OECD 203		
	Acute algae toxicity	ErC50	836 mg/l	72 h	Selenastrum capricornutum		OECD 201		
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna		OECD 202		
84434-11-7	Ethyl phenyl(2,4,6-trimeth	ylbenzoyl)p	hosphinate						
	Acute fish toxicity	LC50 mg/l	1,89	96 h	Danio rerio				



according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 8 of 12

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
127823-21-6	(Octahydro-4,7-methano-1H-indenyl)methyl acrylate							
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	11,8%	28					
	Not readily biodegradable (according to OECD criteria)							
27813-02-1	Hydroxy propyl methacrylate							
	OECD	28						
	Readily biodegradable (according to OECD criteria).							
868-77-9	2-hydroxyethyl methacrylate							
	92-100% 14							
	Readily biodegradable (according to OECD criteria).							

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	3,39
27813-02-1	Hydroxy propyl methacrylate	0,97

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es): 9
14.4. Packing group: III



according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 9 of 12

Hazard label: 9
Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

 14.3. Transport hazard class(es):
 9

 14.4. Packing group:
 III

 Hazard label:
 9

Special Provisions: A97 A158 A197 A215

Limited quantity Passenger: 30 kg G
Passenger LQ: Y964
Excepted quantity: E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75





according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 10 of 12

Information according to 2012/18/EU

(SEVESO III):

E2 Hazardous to the Aquatic Environment

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

Additional information

Group Standard: HSR002558

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

RS VIVO Splint Hard

Revision date: 14.09.2023 Product code: 2051 Page 11 of 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.



according to Regulation (EC) No 1907/2006

Revision date: 14.09.2023 Product code: 2051 Page 12 of 12

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Gewerblich	-	-	-	-	-	-	-	2

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)